D-D The Aquarium Solution Ltd

Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

Date of issue: 01/05/2016 Date of revision: 01/05/2021 Version no.: 2

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

<u>Product name:</u> H2Ocean Pro Reef Salt

Product code: H2OCN23KG, H2OCN6.6KG, H2OCN25KGSACK, H2OCN23KGDOSE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Aquarium water supplement.

1.3 Details of the supplier of the safety data sheet

D-D The Aquarium Solution Ltd Unit CX,11-17 Fowler Road, Hainault Industrial Estate, Ilford, Essex, IG63UT, UK.

Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102

E-mail address of person responsible for this SDS: stuart@theaquariumsolution.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation): N/A

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200 (OSHA HCS): Not classified

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP): Not

classified

2.2 Label elements

Labelling according to 29 CFR 1910.1200 (OSHA HCS):

Hazard pictogram(s): Not required

Signal word: Not required

<u>Hazard statement(s):</u> Not required

<u>Precautionary Statement(s):</u> Not required



Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

Labelling in accordance with Regulation 1272/2008 (CLP)

Hazard pictogram(s): Not required

Signal word: Not required

<u>Hazard statement(s):</u> Not required

<u>Precautionary Statement(s):</u> Not required

2.3 Other hazard

Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Substance name	Identifiers	%	CLP/GHS Classification	Eye Irrit. 2A H319	
Calcium chloride	CAS number: 10043-52-4 EC number: 233-140-8	1-5	Eye Irrit. 2 H319		

See section 16 for the full text of the H-statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15

minutes. Get medical attention.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty

of water. Get medical attention.

Inhalation: Remove the victim from site of exposure to fresh air. If breathing is difficult, give

oxygen. If not breathing give artificial respiration. Get medical attention.

Ingestion: Do not induce vomiting. If victim is conscious, wash mouth thoroughly with plenty of

water. Never give anything by mouth to an unconscious person. Get medical attention.



Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

4.3 Indication of any immediate medical attention and special treatment needed

Not available

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Use extinguishing media suitable to the surroundings such as, dry chemical powder,

chemical foam, water spray and carbon dioxide.

Not suitable: N/A

5.2 Special hazards arising from the substance or mixture

Not combustible. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness. Toxic fumes such as magnesium, sodium, potassium and phosphorus oxides may be evolved on thermal decomposition.

5.3 Advice for firefighters

Special protective equipment for fire fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>6.1 Personal precautions, protective equipment and emergency procedures</u>

Use personal protective equipment. Avoid inhalation of dusts or aerosols. Ensure adequate ventilation. Ventilate area of spill.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and materials for containment and cleaning up

Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

6.4 Reference to other sections

See Section 1 for emergency contact information.

D-D The Aquarium Solution Ltd

Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaguariumsolution.com www.theaguariumsolution.com

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of dusts or aerosols. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep only in original container. Avoid large temperature changes and store in a cool, dry,

well ventilated environment and away from direct sunlight. Keep containers closed when

not in use. Store at 15°C-25°C.

7.3 Specific end use(s): N/A

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits: N/A

8.2 Exposure controls

Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Person protective measures

<u>Respiratory protection:</u> Disposable particulate mask. Be sure to use an approved/certified equipment or equivalent equipment. Wear appropriate respirator when ventilation is inadequate.

<u>Hand protection:</u> Wear protective gloves to prevent skin exposure.

Eve protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

D-D The Aquarium Solution Ltd

Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: white powder

Odour: none

Odour threshold: N/A

pH: N/A

Melting point/Freezing point: N/A Initial boiling point/boiling range: N/A Flash

point: N/A

Evaporation rate: N/A

Flammability: non-combustible

Upper/lower flammability or explosive limits: N/A

Vapor pressure: N/A

Vapor density: N/A Relative Density: N/A

Solubility(ies): soluble in water

Partition coefficient Octanol/Water: N/A

Auto-ignition temperature: N/A

Decomposition temperature: N/A Viscosity:

N/A

Explosive properties: N/A Oxidizing properties: N/A

9.2 Other information

Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Not available

10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

D-D The Aquarium Solution Ltd

Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

10.5 Incompatible materials

Not available

10.6 Hazardous decomposition products

Other decomposition products: not available In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

Product/substance name	Test	Species	Dose
Calcium chloride	LD50, Oral	Rat	1000 mg/kg

Skin corrosion/irritation: Not available

<u>Serious eye damage/irritation:</u> Not available <u>Respiratory or skin sensitization:</u> Not available

Germ cell mutagenicity: Not available

Carcinogenicity: Not available

Reproductive toxicity: Not available.

<u>Specific target organ toxicity (single exposure):</u> Not available <u>Specific target organ toxicity (repeated exposure):</u> Not available

Aspiration hazard: Not available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Not available

12.2 Persistence and Degradability

Not available

12.3 Bioaccumulative potential

Not available

12.4 Mobility in soil

Not available



Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

12.5 Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects

Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Packing

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: TRANSPORT INFORMATION

1	4.	1	Ui	1 r	าน	m	b	er

_ _ _ . .

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.2 UN proper shipping name

ADR/RID: Not regulated

IMDG: Not regulated **IATA:**

Not regulated

DOT (US): Not regulated

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: - DOT (US): -

14.4 Packing group

14.5 Environmental hazard

<u>ADR/RID</u>: - <u>IMDG</u>: - <u>IATA</u>: - <u>DOT (US)</u>: -

14.6 Special precautions for user

Not available



Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

SECTION 15: REGULATORY INFORMATION

This SDS complies with the following requirements of:

EU Directives 67/548/EEC (DSD) and 1999/45/EC (DPD), including amendments

EU Regulation (EC) No.1907/2006 (REACH) including amendments

Regulation (EC) No.1272/2008 (CLP)

29 CFR 1910.1200 (OSHA HCS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA inventory

The components of the product are included on or exempted from the TSCA inventory.

15.2 Chemical safety assessment

Not available

SECTION 16: OTHER INFORMATION

NFPA Rating

Health hazard: 0 Fire Hazard: 0 Reactivity Hazard: 0

Full text of Hazards Statements referred to in sections 2 and 3:

Eye Irrit.- Eye irritation

H319: Causes serious eye irritation.

<u>Training advice:</u> Before using/handling the product one must read carefully present SDS.



Unit CX,11-17 Fowler Road,
Hainault Industrial Estate,
Ilford, Essex, IG63UT, UK.
Tel: +44 (0) 208 501 2492 Fax: +44 (0) 208 500 9102
info@theaquariumsolution.com www.theaquariumsolution.com

Key Legend Information:

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

R-phrases-Risk phrases

H-statements-Hazard statements

TLV - Threshold Limit Value TWA - Time-weighted average

STEL - Short-Term Exposure Limit CSA - Chemical safety assessment

Date of issue: 01/05/2016 Version no.: 1